

2/9/2026

tonnages listed are ESTIMATED for planning purposes and they are based on a series of new barges and a barge in level loading conditions with all voids free of water and sediment. Cargo weights should be determined using scale weights or other verifiable methods.

BARGE #	OFFICIAL #	YEAR	TYPE	BUILT	BUILDER	HULL SIZE			ESTIMATED SHORT TONS AT INDICATED DRAFT																
						L	W	D	GROSS # WING			COVER	CUBIC CAPACITY	COAMING HEIGHT	LITE DRAFT	2'	8'6"	9'	9'6"	10'	10'6"	11'	11'6"	12'	12'6"
									TONS	TANKS	COVERS														
AEP 609B	1128956	B	2002	Trinity	200	35	13	764	5		O	84,412	4'	1'5"	124	1554	1664	1773	1882	1992	2101	2210			
AEP 610B	1128957	B	2002	Trinity	200	35	13	764	5		O	84,412	4'	1'5"	124	1554	1664	1773	1882	1992	2101	2210			
ALM 1R	1258418	R	2015	Trinity	200	35	13	764	4		O	77,196	4'	1'6"	88	1434	1540	1647	1754	1861	1969	2077	2185		
ALM 3R	1258419	R	2015	Trinity	200	35	13	764	4		O	77,196	4'	1'6"	88	1434	1540	1647	1754	1861	1969	2077	2185		
ALM 5R	1258420	R	2015	Trinity	200	35	13	764	4		O	77,196	4'	1'6"	88	1434	1540	1647	1754	1861	1969	2077	2185		
ALM 7R	1258421	R	2015	Trinity	200	35	13	764	4		O	77,196	4'	1'6"	88	1434	1540	1647	1754	1861	1969	2077	2185		
ALM 9R	1258422	R	2015	Trinity	200	35	13	764	4		O	77,196	4'	1'6"	88	1434	1540	1647	1754	1861	1969	2077	2185		
ALM 11R	1258423	R	2015	Trinity	200	35	13	764	4		O	77,196	4'	1'6"	88	1434	1540	1647	1754	1861	1969	2077	2185		
ALM 2B	1258424	B	2015	Trinity	200	35	13	764	5		O	84,427	4'	1'5"	119	1539	1649	1758	1867	1977	2086	2195	2305		
ALM 4B	1258425	B	2015	Trinity	200	35	13	764	5		O	84,427	4'	1'5"	119	1539	1649	1758	1867	1977	2086	2195	2305		
ALM 6B	1258426	B	2015	Trinity	200	35	13	764	5		O	84,427	4'	1'5"	119	1539	1649	1758	1867	1977	2086	2195	2305		
ALM 8B	1258427	B	2015	Trinity	200	35	13	764	5		O	84,427	4'	1'5"	119	1539	1649	1758	1867	1977	2086	2195	2305		
ALM 10B	1258428	B	2015	Trinity	200	35	13	764	5		O	84,427	4'	1'5"	119	1539	1649	1758	1867	1977	2086	2195	2305		
ALM 12B	1258429	B	2015	Trinity	200	35	13	764	5		O	84,427	4'	1'5"	119	1539	1649	1758	1867	1977	2086	2195	2305		
B 0753	1196906	R	2007	Jeffboat	200	35	13	764	5		O	70,198	3'	1'6"		1423	1530	1638	1745	1853	1962	2070	2179		
B 0757	1196915	R	2007	Jeffboat	200	35	13	764	5		O	70,198	3'	1'6"		1423	1530	1638	1745	1853	1962	2070	2179		
B 0758B	1196910	B	2007	Jeffboat	200	35	13	764	5		O	78,742	3'	1'6"		1514	1623	1723	1842	1951	2060	2170	2279		
B 0761B	1196913	B	2007	Jeffboat	200	35	13	764	5		O	78,742	3'	1'6"		1514	1623	1723	1842	1951	2060	2170	2279		
BASH 1	1211374	R	2008	Trinity	195	35	12	687	5		O	60,628	2'	1'6"		1420	1524	1629	1733	1839	1944	2050			
BJP 1401	1274152	R	2016	Jeffboat	200	35	14	823	5		O	87,350	5'	1'6"	77	1427	1533	1640	1747	1855	1963	2071	2179	2288	
BJP 1402B	1274153	B	2016	Jeffboat	200	35	14	823	5		O	94,914	5'	1'6"	111	1530	1639	1748	1857	1967	2076	2185	2294	2422	
CH 9371	993510	R	1993	Jeffboat	195	35	12	687	5	9	FL	70,440	4'	1'7"	73	1395	1500	1605	1710	1815					
CH 9372	993511	R	1993	Jeffboat	195	35	12	687	5	9	FL	70,440	4'	1'7"	73	1395	1500	1605	1710	1815					
CH 9373	993512	R	1993	Jeffboat	195	35	12	687	5	9	FL	70,440	4'	1'7"	73	1395	1500	1605	1710	1815					
CH 9374	993513	R	1993	Jeffboat	195	35	12	687	5	9	FL	70,440	4'	1'7"	73	1395	1500	1605	1710	1815					
CH 9375	993514	R	1993	Jeffboat	195	35	12	687	5	9	FL	70,440	4'	1'7"	73	1395	1500	1605	1710	1815					
CH 9377	994782	R	1993	Jeffboat	195	35	12	687	5	9	FL	70,440	4'	1'7"	73	1395	1500	1605	1710	1815					
CH 9378	994783	R	1993	Jeffboat	195	35	12	687	5	9	FL	70,440	4'	1'7"	73	1395	1500	1605	1710	1815					
CH 9379	994784	R	1993	Jeffboat	195	35	12	687	5	9	FL	70,440	4'	1'7"	73	1395	1500	1605	1710	1815					
CH 9380	994785	R	1993	Jeffboat	195	35	12	687	5	9	FL	70,440	4'	1'7"	73	1395	1500	1605	1710	1815					
CH 9531	1029913	R	1995	Trinity	195	35	12	687	4	8	FL	70,506	4'	1'7"		1388	1492	1597	1701	1806					
CH 9532	1029914	R	1995	Trinity	195	35	12	687	4	8	FL	70,506	4'	1'7"		1388	1492	1597	1701	1806					
CH 9533	1029915	R	1995	Trinity	195	35	12	687	4	8	FL	70,506	4'	1'7"		1388	1492	1597	1701	1806					
CH 9534	1029916	R	1995	Trinity	195	35	12	687	4	8	FL	70,506	4'	1'7"		1388	1492	1597	1701	1806					
CH 9535	1029917	R	1995	Trinity	195	35	12	687	4	8	FL	70,506	4'	1'7"		1388	1492	1597	1701	1806					
CH 9536	1030789	R	1995	Trinity	195	35	12	687	4	8	FL	70,506	4'	1'7"		1388	1492	1597	1701	1806					
CH 9537	1030790	R	1995	Trinity	195	35	12	687	4	8	FL	70,506	4'	1'7"		1388	1492	1597	1701	1806					
CH 9538	1030791	R	1995	Trinity	195	35	12	687	4	8	FL	70,506	4'	1'7"		1388	1492	1597	1701	1806					

BARGE #	OFFICIAL #	TYPE	YEAR	BUILDER	L	W	D	GROSS # WING			COVER OR OPEN	CUBIC CAPACITY	COAMING HEIGHT	LITE DRAFT												
			BUILT					TONS	TANKS	COVERS					2'	8'6"	9'	9'6"	10'	10'6"	11'	11'6"	12'	12'6"		
CH 9539	1030792	R	1995	Trinity	195	35	12	687	4	8	FL	70,506	4'	1'7"		1388	1492	1597	1701	1806						
CH 9540	1030793	R	1995	Trinity	195	35	12	687	4	8	FL	70,506	4'	1'7"		1388	1492	1597	1701	1806						
CH 9541	1031040	R	1995	Trinity	195	35	12	687	4	8	FL	70,506	4'	1'7"		1388	1492	1597	1701	1806						
CH 9542	1031041	R	1995	Trinity	195	35	12	687	4	8	FL	70,506	4'	1'7"		1388	1492	1597	1701	1806						
CH 9543	1031042	R	1995	Trinity	195	35	12	687	4	8	FL	70,506	4'	1'7"		1388	1492	1597	1701	1806						
CH 9544	1031044	R	1995	Trinity	195	35	12	687	4	8	FL	70,506	4'	1'7"		1388	1492	1597	1701	1806						
CH 9545	1031046	R	1995	Trinity	195	35	12	687	4	8	FL	70,506	4'	1'7"		1388	1492	1597	1701	1806						
DJM 4001	1360383	R	2025	arcosa	200	35	14	823	4	11	FL	87,115	5'	1'8"	63	1409	1515	1622	1729	1836	1943	2051	2159	2268		
DJM 4003	1360384	R	2025	arcosa	200	35	14	823	4	11	FL	87,115	5'	1'8"	63	1409	1515	1622	1729	1836	1943	2051	2159	2268		
DJM 4005	1360386	R	2025	arcosa	200	35	14	823	4	11	FL	87,115	5'	1'8"	63	1409	1515	1622	1729	1836	1943	2051	2159	2268		
DJM 4002B	1360387	B	2025	arcosa	200	35	14	823	4	11	FL	95,177	5'	1'6"	95	1515	1625	1734	1844	1953	2062	2172	2281	2390		
DJM 4004B	1360388	B	2025	arcosa	200	35	14	823	4	11	FL	95,177	5'	1'6"	95	1515	1625	1734	1844	1953	2062	2172	2281	2390		
DJM 4006B	1360389	B	2025	arcosa	200	35	14	823	4	11	FL	95,177	5'	1'6"	95	1515	1625	1734	1844	1953	2062	2172	2281	2390		
DJM 4008B	1360390	B	2025	arcosa	200	35	14	823	4	11	FL	95,177	5'	1'6"	95	1515	1625	1734	1844	1953	2062	2172	2281	2390		
DJM 4010B	1360391	B	2025	arcosa	200	35	14	823	4	11	FL	95,177	5'	1'6"	95	1515	1625	1734	1844	1953	2062	2172	2281	2390		
DJM 4012B	1360392	B	2025	arcosa	200	35	14	823	4	11	FL	95,177	5'	1'6"	95	1515	1625	1734	1844	1953	2062	2172	2281	2390		
DJM 4014B	1360393	B	2025	arcosa	200	35	14	823	4	11	FL	95,177	5'	1'6"	95	1515	1625	1734	1844	1953	2062	2172	2281	2390		
DJM 4016B	1360394	B	2025	arcosa	200	35	14	823	4	11	FL	95,177	5'	1'6"	95	1515	1625	1734	1844	1953	2062	2172	2281	2390		
DJM 4018B	1360395	B	2025	arcosa	200	35	14	823	4	11	FL	95,177	5'	1'6"	95	1515	1625	1734	1844	1953	2062	2172	2281	2390		
DJM 4020B	1360396	B	2025	arcosa	200	35	14	823	4	11	FL	95,177	5'	1'6"	95	1515	1625	1734	1844	1953	2062	2172	2281	2390		
DJM 4022B	1360397	B	2025	arcosa	200	35	14	823	4	11	FL	95,177	5'	1'6"	95	1515	1625	1734	1844	1953	2062	2172	2281	2390		
DJM 4024B	1360398	B	2025	arcosa	200	35	14	823	4	11	FL	95,177	5'	1'6"	95	1515	1625	1734	1844	1953	2062	2172	2281	2390		
ESRT 101	1222450	R	2009	Trinity	195	35	12	687	5		O	60,628	2'	1'6"		1420	1524	1629	1733	1839	1944	2050				
ESRT 102	1222452	R	2009	Trinity	195	35	12	687	5		O	60,628	2'	1'6"		1420	1524	1629	1733	1839	1944	2050				
ESRT 201B	1222453	B	2009	Trinity	200	35	12	705	5		O	69,041	2'	1'4"		1568	1678	1787	1897	2006	2115	2225				
ESRT 202B	1222454	B	2009	Trinity	200	35	12	705	5		O	69,041	2'	1'4"		1568	1678	1787	1897	2006	2115	2225				
ESRT 203B	1222455	B	2009	Trinity	200	35	12	705	5		O	69,041	2'	1'4"		1568	1678	1787	1897	2006	2115	2225				
HMT 101	75-57421	R	2001	Trinity	195	35	13	745			O		4'	1'7"	39	1349	1453	1557	1651	1766	1871	1976				
HMT 102		R	2001	Trinity	195	35	13	745			O		4'	1'7"	39	1349	1453	1557	1651	1766	1871	1976				
JCRT 1	1108540	R	2001	Jeff ind	200	35	13	764			O	83,515	5'1"	1.687	63	1420	1527	1634	1742	1850	1958	2067				
JCRT 2	1108541	R	2001	Jeff ind	200	35	13	764			O	83,515	5'1"	1.687	63	1420	1527	1634	1742	1850	1958	2067				
JCRT 3	1108542	R	2001	Jeff ind	200	35	13	764			O	83,515	5'1"	1.687	63	1420	1527	1634	1742	1850	1958	2067				
JCRT 4	1108543	R	2001	Jeff ind	200	35	13	764			O	83,515	5'1"	1.687	63	1420	1527	1634	1742	1850	1958	2067				
JEM 2B	1254726	B	2014	BMP	200	35	13	764	5	9	FL	83,925	4'	1'7"	85	1504	1613	1723	1833	1942	2052	2162	2272			
JEM 1401	1274016	R	2016	Jeff boat	200	35	14	823	5	9	FL	87,350	5'	1'6"	67	1417	1523	1630	1737	1845	1953	2061	2169	2278		
JEM 1402	1274017	R	2016	Jeff boat	200	35	14	823	5	9	FL	87,350	5'	1'6"	67	1417	1523	1630	1737	1845	1953	2061	2169	2278		
JEM 1403	1274696	R	2016	Jeff boat	200	35	14	823	5	9	FL	87,350	5'	1'6"	67	1417	1523	1630	1737	1845	1953	2061	2169	2278		
JEM 1421B	1274312	B	2016	Jeff boat	200	35	14	823	5	9	FL	94,914	5'	1'6"	100	1519	1628	1737	1846	1956	2065	2174	2283	2411		
JEM 1422B	1274313	B	2016	Jeff boat	200	35	14	823	5	9	FL	94,914	5'	1'6"	100.4	1519	1628	1737	1846	1956	2065	2174	2283	2411		
JEM 1423B	1274314	B	2016	Jeff boat	200	35	14	823	5	9	FL	94,914	5'	1'6"	100	1519	1628	1737	1846	1956	2065	2174	2283	2411		
JEM 1424B	1274315	B	2016	Jeff boat	200	35	14	823	5	9	FL	94,914	5'	1'6"	100.4	1519	1628	1737	1846	1956	2065	2174	2283	2411		
JEM 1425B	1274695	B	2016	Jeff boat	200	35	14	823	5	9	FL	94,915	5'	1'6"	100	1519	1628	1737	1846	1956	2065	2174	2283	2411		

BARGE #	OFFICIAL #	TYPE	YEAR	BUILDER	GROSS # WING			COVER	CUBIC CAPACITY	COAMING	LITE													
			BUILT		L	W	D	TONS		TANKS	COVERS	OR OPEN	HEIGHT	DRAFT	2'	8'6"	9'	9'6"	10'	10'6"	11'	11'6"	12'	12'6"
JEM 2021	1308198	R	2020	Arcosa	200	35	14	823	5	9	FL	87,115	5'	1'9"	67	1413	1519	1626	1733	1840	1947	2055	2163	2272
JEM 2002B	1308194	B	2020	Arcosa	200	35	14	823	5	9	FL	95,177	5'	1'6"	95	1515	1625	1734	1844	1953	2062	2172	2281	2390
JEM 2004B	1308195	B	2020	Arcosa	200	35	14	823	5	9	FL	95,177	5'	1'6"	95	1515	1625	1734	1844	1953	2062	2172	2281	2390
JEM 2006B	1308196	B	2020	Arcosa	200	35	14	823	5	9	FL	95,177	5'	1'6"	95	1515	1625	1734	1844	1953	2062	2172	2281	2390
JEM 2008B	1308197	B	2020	Arcosa	200	35	14	823	5	9	FL	95,177	5'	1'6"	95	1515	1625	1734	1844	1953	2062	2172	2281	2390
JEM 2110B	1310591	B	2020	Arcosa	200	35	14	823	5	9	FL	95,177	5'	1'6"	95	1515	1625	1734	1844	1953	2062	2172	2281	2390
JEM 2112B	1310592	B	2020	Arcosa	200	35	14	823	5	9	FL	95,177	5'	1'6"	95	1515	1625	1734	1844	1953	2062	2172	2281	2390
JEM 2114B	1310593	B	2020	Arcosa	200	35	14	823	5	9	FL	95,177	5'	1'6"	95	1515	1625	1734	1844	1953	2062	2172	2281	2390
JEM 2116B	1310594	B	2020	Arcosa	200	35	14	823	5	9	FL	95,177	5'	1'6"	95	1515	1625	1734	1844	1953	2062	2172	2281	2390
JEM 2022	1310595	R	2020	Arcosa	200	35	14	823	5	9	FL	87,115	5'	1'9"	67	1413	1519	1626	1733	1840	1947	2055	2163	2272
JEM 2220B	1327429	B	2022	Arcosa	200	35	14	823	5	9	FL	75,473	5'	1'5"	95	1406	1625	1734	1844	1953	2062	2172	2281	2390
JEM 2222B	1327430	B	2022	Arcosa	200	35	14	823	5	9	FL	75,473	5'	1'5"	95	1406	1625	1734	1844	1953	2062	2172	2281	2390
JEM 2225	1327437	R	2022	Arcosa	200	35	14	823	5	9	FL	75,474	5'	1'8"	67	1307	1519	1626	1733	1840	1947	2055	2163	2272
JPR 1201B	1244119	B	2012	Trinity	200	35	14	823	5	9	FL	95,159	5'	1'7"	106	1526	1636	1745	1855	1964	2073	2183	2293	2403
JPR 1202B	1244120	B	2012	Trinity	200	35	14	823	5	9	FL	95,159	5'	1'7"	106	1526	1636	1745	1855	1964	2073	2183	2293	2403
JPR 1401B	1255250	B	2014	Trinity	200	35	14	823	5	9	FL	95,159	5'	1'7"	106	1526	1636	1745	1855	1964	2073	2183	2293	2403
JPR 1402B	1255251	B	2014	Trinity	200	35	14	823	5	9	FL	95,159	5'	1'7"	106	1526	1636	1745	1855	1964	2073	2183	2293	2403
KAM 2B	1128961	B	1996	Trinity	200	35	13	823	5		O	84,412	4'	1'4.6"	135	1555	1665	1774	1883	1993	2102	2211	2320	
MKJ 1431B	1302556	B	2020	Arcosa	200	35	14	823	5	9	FL	95,177	5'	1'7"	95	1515	1625	1734	1844	1953	2062	2172	2281	2390
MKJ 1432B	1302557	B	2020	Arcosa	200	35	14	823	5	9	FL	95,177	5'	1'7"	95	1515	1625	1734	1844	1953	2062	2172	2281	2390
MKJ 1433B	1302558	B	2020	Arcosa	200	35	14	823	5	9	FL	95,177	5'	1'7"	95	1515	1625	1734	1844	1953	2062	2172	2281	2390
MKJ 1434B	1302559	B	2020	Arcosa	200	35	14	823	5	9	FL	95,177	5'	1'7"	95	1515	1625	1734	1844	1953	2062	2172	2281	2390
MKJ 1435B	1302560	B	2020	Arcosa	200	35	14	823	5	9	FL	95,177	5'	1'7"	95	1515	1625	1734	1844	1953	2062	2172	2281	2390
MKJ 4001	1308193	R	2020	Arcosa	200	35	14	823	5	9	FL	87,115	5'	1'9"	67	1413	1519	1626	1733	1840	1947	2055	2163	2272
MKJ 4002B	1308189	B	2020	Arcosa	200	35	14	823	5	9	FL	95,177	5'	1'6"	95	1515	1625	1734	1844	1953	2062	2172	2281	2390
MKJ 4003	1349775	R	2024	Arcosa	200	35	14	823	5	9	FL	87,115	5'	1'8"	67	1413	1519	1626	1733	1840	1947	2055	2163	2272
MKJ 4005	1351689	R	2020	Arcosa	200	35	13				FL			1'7"	73	1419	1525	1632	1739	1846	1954	2062	2170	
MKJ 4007	1351690	R	2024	Arcosa	200	35	13				FL			1'7"	73	1419	1525	1632	1739	1846	1954	2062	2170	
MKJ 4004B	1308190	B	2020	Arcosa	200	35	14	823	5	9	FL	95,177	5'	1'6"	95	1515	1625	1734	1844	1953	2062	2172	2281	2390
MKJ 4006B	1308191	B	2020	Arcosa	200	35	14	823	5	9	FL	95,177	5'	1'6"	95	1515	1625	1734	1844	1953	2062	2172	2281	2390
MKJ 4008B	1308192	B	2020	Arcosa	200	35	14	823	5	9	FL	95,177	5'	1'6"	95	1515	1625	1734	1844	1953	2062	2172	2281	2390
MKJ 4010B	1349776	B	2020	Arcosa	200	35	14	823	5	9	FL	95,177	5'	1'6"	95	1515	1625	1734	1844	1953	2062	2172	2281	2390
MKJ 4012B	1349777	B	2024	Arcosa	200	35	14	823	5	9	FL	95,177	5'	1'6"	95	1515	1625	1734	1844	1953	2062	2172	2281	2390
MKJ 4014B	1349778	B	2020	Arcosa	200	35	14	823	5	9	FL	95,177	5'	1'6"	95	1515	1625	1734	1844	1953	2062	2172	2281	2390
MKJ 4016B	1349779	B	2024	Arcosa	200	35	14	823	5	9	FL	95,177	5'	1'6"	95	1515	1625	1734	1844	1953	2062	2172	2281	2390
MKJ 4018B	1351692	B	2024	Arcosa	200	35	13				FL			1'7"	108	1528	1638	1747	1856	1966	2075	2184	2294	
MKJ 2020B	1351693	B	2024	Arcosa	200	35	13				FL			1'7"	108	1528	1638	1747	1856	1966	2075	2184	2294	
MKJ 4022B	1351694	B	2024	Arcosa	200	35	13				FL			1'7"	108	1528	1638	1747	1856	1966	2075	2184	2294	
MKJ 4026B	1351696	B	2024	Arcosa	200	35	13				FL			1'7"	108	1528	1638	1747	1856	1966	2075	2184	2294	
MSM 2525B	1274311	B	2016	Jeff boat	200	35	14	823	5		FL	94,914	5'	1'6.8"	100	1519	1628	1737	1846	1956	2065	2174	2283	2411
NEWT 1	16 2381	R	2017		200	35	13	764			O		3'	1'7"	78	1497	1606	1715	1824	1934	2043	2152		
NEWT 2	16 2382	R	2017		200	35	13	764			O		3'	1'7"	78	1497	1606	1715	1824	1934	2043	2152		

BARGE #	OFFICIAL #	TYPE	YEAR	BUILDER	GROSS # WING			COVER	CUBIC CAPACITY	COAMING HEIGHT	LITE DRAFT	LITE												
			BUILT		L	W	D	TONS				TANKS	COVERS	OR OPEN	2'	8'6"	9'	9'6"	10'	10'6"	11'	11'6"	12'	12'6"
NEWT 4		R	2017		200	35	13	764			O		3'	1'7"	78	1497	1606	1715	1824	1934	2043	2152		
PGM 101	1237103	R	2011	Jeff boat	200	35	13	764	5	9	FL	82,413	4'	1'6"	92	1445	1552	1659	1766	1874	1982	2091	2200	
PGM 102	1237104	R	2011	Jeff boat	200	35	13	764	5	9	FL	82,413	4'	1'6"	92	1445	1552	1658.9	1766	1874	1982	2091	2200	
PGM 103	1237105	R	2011	Jeff boat	200	35	13	764	5	9	FL	82,413	4'	1'6"	92	1445	1552	1659	1766	1874	1982	2091	2200	
PGM 104	1237106	R	2011	Jeff boat	200	35	13	764	5	9	FL	82,413	4'	1'6"	92	1445	1552	1658.9	1766	1874	1982	2091	2200	
PGM 105	1237107	R	2011	Jeff boat	200	35	13	764	5	9	FL	82,413	4'	1'6"	92	1445	1552	1659	1766	1874	1982	2091	2200	
PGM 106	1236939	R	2011	Jeff boat	200	35	13	764	5	9	FL	82,413	4'	1'6"	92	1445	1552	1658.9	1766	1874	1982	2091	2200	
PGM 107	1236940	R	2011	Jeff boat	200	35	13	764	5	9	FL	82,413	4'	1'6"	92	1445	1552	1659	1766	1874	1982	2091	2200	
PGM 108	1236941	R	2011	Jeff boat	200	35	13	764	5	9	FL	82,413	4'	1'6"	92	1445	1552	1658.9	1766	1874	1982	2091	2200	
PGM 221B	1239973	B	2012	Jeff boat	200	35	14	823	5	9	FL	94,826	5'	1'7"	84	1503	1612	1721	1830	1940	2049	2158	2267	2376
PGM 222B	1239974	B	2012	Jeff boat	200	35	14	823	5	9	FL	94,826	5'	1'7"	84	1503	1612	1721	1830	1940	2049	2158	2267	2376
PGM 223B	1239975	B	2012	Jeff boat	200	35	14	823	5	9	FL	94,826	5'	1'7"	84	1503	1612	1721	1830	1940	2049	2158	2267	2376
PGM 224B	1239976	B	2012	Jeff boat	200	35	14	823	5	9	FL	94,826	5'	1'7"	84	1503	1612	1721	1830	1940	2049	2158	2267	2376
PGM 225B	1239977	B	2012	Jeff boat	200	35	14	823	5	9	FL	94,826	5'	1'7"	84	1503	1612	1721	1830	1940	2049	2158	2267	2376
PGM 226B	1239978	B	2012	Jeff boat	200	35	14	823	5	9	FL	94,826	5'	1'7"	84	1503	1612	1721	1830	1940	2049	2158	2267	2376
PGM 227B	1239979	B	2012	Jeff boat	200	35	14	823	5	9	FL	94,826	5'	1'7"	84	1503	1612	1721	1830	1940	2049	2158	2267	2376
PGM 228B	1239980	B	2012	Jeff boat	200	35	14	823	5	9	FL	94,826	5'	1'7"	84	1503	1612	1721	1830	1940	2049	2158	2267	2376
PGM 243B	1242656	B	2012	Jeff boat	200	35	14	823	5	9	FL	94,826	5'	1'7"	84	1503	1612	1721	1830	1940	2049	2158	2267	2376
PGM 244B	1242657	B	2012	Jeff boat	200	35	14	823	5	9	FL	94,826	5'	1'7"	84	1503	1612	1721	1830	1940	2049	2158	2267	2376
PGM 245B	1242741	B	2012	Jeff boat	200	35	14	823	5	9	FL	94,826	5'	1'7"	84	1503	1612	1721	1830	1940	2049	2158	2267	2376
PGM 246B	1242742	B	2012	Jeff boat	200	35	14	823	5	9	FL	94,826	5'	1'7"	84	1503	1612	1721	1830	1940	2049	2158	2267	2376
PGM 247B	1242743	B	2012	Jeff boat	200	35	14	823	5	9	FL	94,826	5'	1'7"	84	1503	1612	1721	1830	1940	2049	2158	2267	2376
PGM 248B	1242744	B	2012	Jeff boat	200	35	14	823	5	9	FL	94,826	5'	1'7"	84	1503	1612	1721	1830	1940	2049	2158	2267	2376
PGM 249B	1242745	B	2012	Jeff boat	200	35	14	823	5	9	FL	94,826	5'	1'7"	84	1503	1612	1721	1830	1940	2049	2158	2267	2376
PGM 250B	1242746	B	2012	Jeff boat	200	35	14	823	5	9	FL	94,826	5'	1'7"	84	1503	1612	1721	1830	1940	2049	2158	2267	2376
PGM 251B	1304144	B	2020	Arcosa	200	35	14	823	5	9	FL	87,115	5'	1'8"	102	1522	1632	1741	1851	1960	2069	2179	2288	2397
PGM 252B	1304145	B	2020	Arcosa	200	35	14	823	5	9	FL	87,115	5'	1'8"	102	1522	1632	1741	1851	1960	2069	2179	2288	2397
PGM 253B	1304148	B	2020	Arcosa	200	35	14	823	5	9	FL	87,115	5'	1'8"	102	1522	1632	1741	1851	1960	2069	2179	2288	2397
PGM 254B	1304149	B	2020	Arcosa	200	35	14	823	5	9	FL	87,115	5'	1'8"	102	1522	1632	1741	1851	1960	2069	2179	2288	2397
PGM 255B	1304150	B	2020	Arcosa	200	35	14	823	5	9	FL	87,115	5'	1'8"	102	1522	1632	1741	1851	1960	2069	2179	2288	2397
PGM 256B	1304151	B	2020	Arcosa	200	35	14	823	5	9	FL	87,115	5'	1'8"	102	1522	1632	1741	1851	1960	2069	2179	2288	2397
PGM 257B	1304152	B	2020	Arcosa	200	35	14	823	5	9	FL	87,115	5'	1'8"	102	1522	1632	1741	1851	1960	2069	2179	2288	2397
PGM 258B	1304153	B	2020	Arcosa	200	35	14	823	5	9	FL	87,115	5'	1'8"	102	1522	1632	1741	1851	1960	2069	2179	2288	2397
PGM 259B	1304154	B	2020	Arcosa	200	35	14	823	5	9	FL	87,115	5'	1'8"	102	1522	1632	1741	1851	1960	2069	2179	2288	2397
PGM 260B	1304155	B	2020	Arcosa	200	35	14	823	5	9	FL	87,115	5'	1'8"	102	1522	1632	1741	1851	1960	2069	2179	2288	2397
PGM 261B	1304156	B	2020	Arcosa	200	35	14	823	5	9	FL	87,115	5'	1'8"	102	1522	1632	1741	1851	1960	2069	2179	2288	2397
PGM 262B	1304157	B	2020	Arcosa	200	35	14	823	5	9	FL	87,115	5'	1'8"	102	1522	1632	1741	1851	1960	2069	2179	2288	2397
PGM 263B	1304158	B	2020	Arcosa	200	35	14	823	5	9	FL	87,115	5'	1'8"	102	1522	1632	1741	1851	1960	2069	2179	2288	2397
PGM 264B	1304159	B	2020	Arcosa	200	35	14	823	5	9	FL	87,115	5'	1'8"	102	1522	1632	1741	1851	1960	2069	2179	2288	2397
PGM 265B	1304160	B	2020	Arcosa	200	35	14	823	5	9	FL	87,115	5'	1'8"	102	1522	1632	1741	1851	1960	2069	2179	2288	2397
PGM 266B	1304161	B	2020	Arcosa	200	35	14	823	5	9	FL	87,115	5'	1'8"	102	1522	1632	1741	1851	1960	2069	2179	2288	2397
PGM 267B	1304162	B	2020	Arcosa	200	35	14	823	5	9	FL	87,115	5'	1'8"	102	1522	1632	1741	1851	1960	2069	2179	2288	2397

BARGE #	OFFICIAL #	TYPE	YEAR	BUILDER	L	W	D	GROSS # WING			COVER OR OPEN	CUBIC CAPACITY	COAMING HEIGHT	LITE DRAFT												
			BUILT					TONS	TANKS	COVERS					2'	8'6"	9'	9'6"	10'	10'6"	11'	11'6"	12'	12'6"		
PGM 268B	1304163	B	2020	Arcosa	200	35	14	823	5	9	FL	87,115	5'	1'8"	102	1522	1632	1741	1851	1960	2069	2179	2288	2397		
PGM 269B	1304164	B	2020	Arcosa	200	35	14	823	5	9	FL	87,115	5'	1'8"	102	1522	1632	1741	1851	1960	2069	2179	2288	2397		
PGM 270B	1304165	B	2020	Arcosa	200	35	14	823	5	9	FL	87,115	5'	1'8"	102	1522	1632	1741	1851	1960	2069	2179	2288	2397		
PGM 271B	1304166	B	2020	Arcosa	200	35	14	823	5	9	FL	87,115	5'	1'8"	102	1522	1632	1741	1851	1960	2069	2179	2288	2397		
PGM 272B	1304167	B	2020	Arcosa	200	35	14	823	5	9	FL	87,115	5'	1'8"	102	1522	1632	1741	1851	1960	2069	2179	2288	2397		
PGM 273B	1304168	B	2020	Arcosa	200	35	14	823	5	9	FL	87,115	5'	1'8"	102	1522	1632	1741	1851	1960	2069	2179	2288	2397		
PGM 274B	1304169	B	2020	Arcosa	200	35	14	823	5	9	FL	87,115	5'	1'8"	102	1522	1632	1741	1851	1960	2069	2179	2288	2397		
PGM 275B	1304170	B	2020	Arcosa	200	35	14	823	5	9	FL	87,115	5'	1'8"	102	1522	1632	1741	1851	1960	2069	2179	2288	2397		
PGM 276B	1304171	B	2020	Arcosa	200	35	14	823	5	9	FL	87,115	5'	1'8"	102	1522	1632	1741	1851	1960	2069	2179	2288	2397		
PGM 277B	1304172	B	2020	Arcosa	200	35	14	823	5	9	FL	87,115	5'	1'8"	102	1522	1632	1741	1851	1960	2069	2179	2288	2397		
PGM 278B	1304173	B	2020	Arcosa	200	35	14	823	5	9	FL	87,115	5'	1'8"	102	1522	1632	1741	1851	1960	2069	2179	2288	2397		
PGM 279B	1304174	B	2020	Arcosa	200	35	14	823	5	9	FL	87,115	5'	1'8"	102	1522	1632	1741	1851	1960	2069	2179	2288	2397		
PGM 280B	1304175	B	2020	Arcosa	200	35	14	823	5	9	FL	87,115	5'	1'8"	102	1522	1632	1741	1851	1960	2069	2179	2288	2397		
PGM 309	1240524	R	2012	Jeff boat	200	35	14	823	5	9	FL	87,333	5'	1'8"	60	1413	1520	1627	1734	1842	1950	2059	2168	2277		
PGM 310	1240525	R	2012	Jeff boat	200	35	14	823	5	9	FL	87,333	5'	1'8"	60	1413	1520	1627	1734	1842	1950	2059	2168	2277		
PGM 311	1303656	R	2002	Arcosa	200	35	14	823	4	9	FL	75,433	5'	1'8"	71	1417	1523	1630	1737	1844	1951	2059	2167	2276		
PGM 312	1303657	R	2002	Arcosa	200	35	14	823	4	9	FL	75,433	5'	1'8"	71	1417	1523	1630	1737	1844	1951	2059	2167	2276		
PGM 313	1303658	R	2002	Arcosa	200	35	14	823	4	9	FL	75,433	5'	1'8"	71	1417	1523	1630	1737	1844	1951	2059	2167	2276		
PGM 314	1303659	R	2002	Arcosa	200	35	14	823	4	9	FL	75,433	5'	1'8"	71	1417	1523	1630	1737	1844	1951	2059	2167	2276		
PGM 315	1303660	R	2002	Arcosa	200	35	14	823	4	9	FL	75,433	5'	1'8"	71	1417	1523	1630	1737	1844	1951	2059	2167	2276		
PGM 316	1303661	R	2002	Arcosa	200	35	14	823	4	9	FL	75,433	5'	1'8"	71	1417	1523	1630	1737	1844	1951	2059	2167	2276		
PGM 317	1303662	R	2002	Arcosa	200	35	14	823	4	9	FL	75,433	5'	1'8"	71	1417	1523	1630	1737	1844	1951	2059	2167	2276		
PGM 318	1303663	R	2002	Arcosa	200	35	14	823	4	9	FL	75,433	5'	1'8"	71	1417	1523	1630	1737	1844	1951	2059	2167	2276		
PGM 319	1303664	R	2002	Arcosa	200	35	14	823	4	9	FL	75,433	5'	1'8"	71	1417	1523	1630	1737	1844	1951	2059	2167	2276		
PGM 320	1303665	R	2002	Arcosa	200	35	14	823	4	9	FL	75,433	5'	1'8"	71	1417	1523	1630	1737	1844	1951	2059	2167	2276		
PGM 321	1303666	R	2002	Arcosa	200	35	14	823	4	9	FL	75,433	5'	1'8"	71	1417	1523	1630	1737	1844	1951	2059	2167	2276		
PGM 322	1303667	R	2002	Arcosa	200	35	14	823	4	9	FL	75,433	5'	1'8"	71	1417	1523	1630	1737	1844	1951	2059	2167	2276		
PGM 323	1303668	R	2002	Arcosa	200	35	14	823	4	9	FL	75,433	5'	1'8"	71	1417	1523	1630	1737	1844	1951	2059	2167	2276		
PGM 324	1303669	R	2002	Arcosa	200	35	14	823	4	9	FL	75,433	5'	1'8"	71	1417	1523	1630	1737	1844	1951	2059	2167	2276		
PGM 325	1303670	R	2002	Arcosa	200	35	14	823	4	9	FL	75,433	5'	1'8"	71	1417	1523	1630	1737	1844	1951	2059	2167	2276		
PGM 326	1303671	R	2002	Arcosa	200	35	14	823	4	9	FL	75,433	5'	1'8"	71	1417	1523	1630	1737	1844	1951	2059	2167	2276		
PGM 327	1303672	R	2002	Arcosa	200	35	14	823	4	9	FL	75,433	5'	1'8"	71	1417	1523	1630	1737	1844	1951	2059	2167	2276		
PGM 328	1303673	R	2002	Arcosa	200	35	14	823	4	9	FL	75,433	5'	1'8"	71	1417	1523	1630	1737	1844	1951	2059	2167	2276		
PGM 329	1304141	R	2002	Arcosa	200	35	14	823	4	9	FL	75,433	5'	1'8"	71	1417	1523	1630	1737	1844	1951	2059	2167	2276		
PGM 330	1304143	R	2002	Arcosa	200	35	14	823	4	9	FL	75,433	5'	1'8"	71	1417	1523	1630	1737	1844	1951	2059	2167	2276		
RF 511	1179148	R	2005	Jeff boat	200	35	13	764			O	70,198	3'		57	1414	1521	1628	1736	1843	1952	2059	2170			
SCF 1040B		B	2010		200	35	14	823			FL	95,177	5'	1'5"		1532	1642	1751	1861	1970	2079	2189	2298	2407		
SCF 1041B	1226967	B	2010		200	35	14	823			FL	95,177	5'	1'5"		1532	1642	1751	1861	1970	2079	2189	2298	2407		
SCF 1042B		B	2010		200	35	14	823			FL	95,177	5'	1'5"		1532	1642	1751	1861	1970	2079	2189	2298	2407		
SCF 1043B		B	2010		200	35	14	823			FL	95,177	5'	1'5"		1532	1642	1751	1861	1970	2079	2189	2298	2407		
SCF 11145B	1231486	B	2011		200	35	14	823	5	8	FL	95,158	5'	1'5"		1532	1642	1751	1861	1970	2079	2189	2298	2407		
SCF 11146B		B	2011		200	35	14		5	8	FL	95,158	5'	1'5"		1532	1642	1751	1861	1970	2079	2189	2298	2407		

BARGE #	OFFICIAL #	TYPE	YEAR	BUILDER	GROSS # WING			COVER	CUBIC	COAMING	LITE													
			BUILT		L	W	D					TONS	TANKS	COVERS	OR OPEN	CAPACITY	HEIGHT	DRAFT	2'	8'6"	9'	9'6"	10'	10'6"
SCF 11147B		B	2011		200	35	14		5	8	FL	95,158		1'5"		1532	1642	1751	1861	1970	2079	2189	2298	2407
SCF 11148B		B	2011		200	35	14		5	8	FL	95,158		1'5"		1532	1642	1751	1861	1970	2079	2189	2298	2407
SCF 14015		R	2014		200	35	14				FL	82,080		1'7"		1432	1538	1645	1752	1859	1966	2074	2182	2291
SCF 16015	1273880	R	2016		200	35	14	823			FL	82,080	4.00	1'7"		1428	1534	1641	1748	1855	1962	2070	2178	2287
SCF 2503	1169705	R	2005	Trinity	200	35	13	764	5		O	77,196	4'	1'6"		1446	1552	1659	1766	1873	1980	2087	2194	
SCF 2504	1169706	R	2005	Trinity	200	35	13	764	5		O	77,196	4'	1'6"		1446	1552	1659	1766	1873	1980	2087	2194	
SCF 2507	1169719	R	2005	Trinity	200	35	13	764	5		O	77,196	4'	1'6"		1446	1552	1659	1766	1873	1980	2087	2194	
SCF 2508	1169709	R	2005	Trinity	200	35	13	764	5		O	77,196	4'	1'6"		1446	1552	1659	1766	1873	1980	2087	2194	
SCF 2509	1169718	R	2005	Trinity	200	35	13	764	5		O	77,196	4'	1'6"		1446	1552	1659	1766	1873	1980	2087	2194	
SCF 2510	1169710	R	2005	Trinity	200	35	13	764	5		O	77,196	4'	1'6"		1446	1552	1659	1766	1873	1980	2087	2194	
SCF 2511	1169717	R	2005	Trinity	200	35	13	764	5		O	77,196	4'	1'6"		1446	1552	1659	1766	1873	1980	2087	2194	
SCF 2512	1169711	R	2005	Trinity	200	35	13	764	5		O	77,196	4'	1'6"		1446	1552	1659	1766	1873	1980	2087	2194	
SCF 2514	1169712	R	2005	Trinity	200	35	13	764	5		O	77,196	4'	1'6"		1446	1552	1659	1766	1873	1980	2087	2194	
SCF 2515	1169715	R	2005	Trinity	200	35	13	764	5		O	77,196	4'	1'6"		1446	1552	1659	1766	1873	1980	2087	2194	
SCF 2517	1169714	R	2005	Trinity	200	35	13	764	5		O	77,196	4'	1'6"		1446	1552	1659	1766	1873	1980	2087	2194	
SCF 2550B	1163930	B	2005	Trinity	200	35	13	764	5		O	89,802	4'	1'4"		1555	1665	1774	1883	1993	2102	2211	2330	
SCF 2551B	1163932	B	2005	Trinity	200	35	13	764	5		O	89,802	4'	1'4"		1555	1665	1774	1883	1993	2102	2211	2330	
SCF 2552B	1163926	B	2005	Trinity	200	35	13	764	5		O	89,802	4'	1'4"		1555	1665	1774	1883	1993	2102	2211	2330	
SCF 2554B	1163924	B	2005	Trinity	200	35	13	764	5		O	89,802	4'	1'4"		1555	1665	1774	1883	1993	2102	2211	2330	
SCF 2555B	1163922	B	2005	Trinity	200	35	13	764	5		O	89,802	4'	1'4"		1555	1665	1774	1883	1993	2102	2211	2330	
SCF 2556B	1163921	B	2005	Trinity	200	35	13	764	5		O	89,802	4'	1'4"		1555	1665	1774	1883	1993	2102	2211	2330	
SCF 2557B	1163920	B	2005	Trinity	200	35	13	764	5		O	89,802	4'	1'4"		1555	1665	1774	1883	1993	2102	2211	2330	
SCF 2558B	1163919	B	2005	Trinity	200	35	13	764	5		O	89,802	4'	1'4"		1555	1665	1774	1883	1993	2102	2211	2330	
SCF 2560B	1163915	B	2005	Trinity	200	35	13	764	5		O	89,802	4'	1'4"		1555	1665	1774	1883	1993	2102	2211	2330	
SCF 2562B	1163912	B	2005	Trinity	200	35	13	764	5		O	89,802	4'	1'4"		1555	1665	1774	1883	1993	2102	2211	2330	
SCF 2563B	1163911	B	2005	Trinity	200	35	13	764	5		O	89,802	4'	1'4"		1555	1665	1774	1883	1993	2102	2211	2330	
SCF 2564B	1163909	B	2005	Trinity	200	35	13	764	5		O	89,802	4'	1'4"		1555	1665	1774	1883	1993	2102	2211	2330	
SCF 2565B	1163907	B	2005	Trinity	200	35	13	764	5		O	89,802	4'	1'4"		1555	1665	1774	1883	1993	2102	2211	2330	
SCF 2566B	1163906	B	2005	Trinity	200	35	13	764	5		O	89,802	4'	1'4"		1555	1665	1774	1883	1993	2102	2211	2330	
SCF 2567B	1163904	B	2005	Trinity	200	35	13	764	5		O	89,802	4'	1'4"		1555	1665	1774	1883	1993	2102	2211	2330	
SCF 2568B	1163902	B	2005	Trinity	200	35	13	764	5		O	89,802	4'	1'4"		1555	1665	1774	1883	1993	2102	2211	2330	
SCF 2572B	1169700	B	2005	Trinity	200	35	13	764	5		O	89,802	4'	1'4"		1555	1665	1774	1883	1993	2102	2211	2330	
SCF 2573B	1169701	B	2005	Trinity	200	35	13	764	5		O	89,802	4'	1'4"		1555	1665	1774	1883	1993	2102	2211	2330	
SCF 2575B	1169703	B	2005	Trinity	200	35	13	764	5		O	89,802	4'	1'4"		1555	1665	1774	1883	1993	2102	2211	2330	
SCF 2576B	1169704	B	2005	Trinity	200	35	13	764	5		O	89,802	4'	1'4"		1555	1665	1774	1883	1993	2102	2211	2330	
SCF 26002	1182439	R	2006	Trinity	200	35	13	764	5		O	77,196	5'	1'6"		1446	1552	1659	1766	1873	1980	2087	2194	
SUEQ41B	1038516	B	1995	Trinity	200	35	14	823	5		FL	95,158	5'	1'5.5"	114	1535	1644	1753	1863	1972	2082	2191	2304	2410
UND 1401	1274038	R	2016	Jeff boat	200	35	14	823			O	87,350	5'	1'6"	77	1427	1533	1640	1747	1855	1963	2071	2179	2288
UND 1403	1274039	R	2016	Jeff boat	200	35	14	823			O	87,350	5'	1'6"	77	1427	1533	1640	1747	1855	1963	2071	2179	2288
UND 1402B	1274040	B	2016	Jeff boat	200	35	14	823			O	94,914	5'	1'6"	111	1530	1639	1748	1857	1967	2076	2185	2294	2422
UND 1404B	1274041	B	2016	Jeff boat	200	35	14	823			O	94,914	5'	1'6"	111	1530	1639	1748	1857	1967	2076	2185	2294	2422
UND 1406B	1274042	B	2016	Jeff boat	200	35	14	823			O	94,914	5'	1'6"	111	1530	1639	1748	1857	1967	2076	2185	2294	2422